



กฎกระทรวง

กำหนดประเภทและหลักเกณฑ์การประกอบธุรกิจโรงแรม

พ.ศ. ๒๕๕๑

อาศัยอำนาจตามความใน (๓) ของบทนิยามคำว่า “โรงแรม” ในมาตรา ๔ มาตรา ๕ และมาตรา ๑๓ แห่งพระราชบัญญัติโรงแรม พ.ศ. ๒๕๔๗ อันเป็นกฎหมายที่มีบทบัญญัติบางประการเกี่ยวกับการจำกัดสิทธิและเสรีภาพของบุคคล ซึ่งมาตรา ๒๕ ประกอบกับมาตรา ๑๓ และมาตรา ๔๓ ของรัฐธรรมนูญแห่งราชอาณาจักรไทย บัญญัติให้กระทำได้โดยอาศัยอำนาจตามบทบัญญัติแห่งกฎหมาย รัฐมนตรีว่าการกระทรวงมหาดไทยโดยคำแนะนำของคณะกรรมการส่งเสริมและกำกับธุรกิจโรงแรมออกกฎกระทรวงไว้ดังต่อไปนี้

หมวด ๑

สถานที่พักที่ไม่เป็นโรงแรมและประเภทของโรงแรม

ข้อ ๑ ให้สถานที่พักที่มีจำนวนห้องพักในอาคารเดียวกันหรือหลายอาคารรวมกันไม่เกินสี่ห้องและมีจำนวนผู้พักรวมกันทั้งหมดไม่เกินยี่สิบคน ซึ่งจัดตั้งขึ้นเพื่อให้บริการที่พักชั่วคราวสำหรับคนเดินทางหรือบุคคลอื่นใดโดยมีค่าตอบแทน อันมีลักษณะเป็นการประกอบกิจการเพื่อหารายได้เสริม และได้แจ้งให้นายทะเบียนทราบตามแบบที่รัฐมนตรีกำหนด ไม่เป็นโรงแรมตาม (๓) ของบทนิยามคำว่า “โรงแรม” ในมาตรา ๔

ข้อ ๒ โรงแรมแบ่งเป็น ๔ ประเภท ดังต่อไปนี้

(๑) โรงแรมประเภท ๑ หมายความว่า โรงแรมที่ให้บริการเฉพาะห้องพัก

(๒) โรงแรมประเภท ๒ หมายความว่า โรงแรมที่ให้บริการห้องพักและห้องอาหาร หรือสถานที่สำหรับบริการอาหารหรือสถานที่สำหรับประกอบอาหาร

(๓) โรงแรมประเภท ๓ หมายความว่า โรงแรมที่ให้บริการห้องพัก ห้องอาหารหรือสถานที่สำหรับบริการอาหารหรือสถานที่สำหรับประกอบอาหาร และสถานบริการตามกฎหมายว่าด้วยสถานบริการหรือห้องประชุมสัมมนา

(๔) โรงแรมประเภท ๔ หมายความว่า โรงแรมที่ให้บริการห้องพัก ห้องอาหารหรือสถานที่สำหรับบริการอาหารหรือสถานที่สำหรับประกอบอาหาร สถานบริการตามกฎหมายว่าด้วยสถานบริการ และห้องประชุมสัมมนา

หมวด ๒

หลักเกณฑ์และเงื่อนไขสำหรับโรงแรมทุกประเภท

ข้อ ๓ สถานที่ตั้งของโรงแรมต้องมีลักษณะ ดังต่อไปนี้

(๑) ตั้งอยู่ในทำเลที่เหมาะสม ไม่เป็นอันตรายต่อสุขภาพและอนามัยของผู้พักและมีการคมนาคมสะดวกและปลอดภัย

(๒) เส้นทางเข้าออกโรงแรมต้องไม่ก่อให้เกิดปัญหาด้านการจราจร

(๓) ในกรณีที่ใช้พื้นที่ประกอบธุรกิจโรงแรมในอาคารเดียวกันกับการประกอบกิจการอื่น ต้องแบ่งสถานที่ให้ชัดเจน และการประกอบกิจการอื่นต้องไม่ส่งผลกระทบต่อการทำงานของธุรกิจโรงแรม

(๔) ไม่ตั้งอยู่ในบริเวณหรือใกล้เคียงกับโบราณสถาน ศาสนสถานหรือสถาน อันเป็นที่เคารพในทางศาสนา หรือสถานที่อื่นใดอันจะทำให้เกิดทัศนียภาพที่ไม่เหมาะสม กระทบต่อความมั่นคงและการดำรงอยู่ของสถานที่ดังกล่าว หรือจะทำให้ขัดต่อขนบธรรมเนียมประเพณีและวัฒนธรรมท้องถิ่น

ข้อ ๔ โรงแรมต้องจัดให้มีการบริการและสิ่งอำนวยความสะดวกสำหรับผู้พักอย่างน้อย ดังต่อไปนี้

(๑) สถานที่ลงทะเบียนผู้พัก

(๒) โทรศัพท์หรือระบบการติดต่อสื่อสารทั้งภายในและภายนอกโรงแรมโดยจะจัดให้มีเฉพาะภายนอกห้องพักก็ได้ แต่ต้องมีจำนวนเพียงพอต่อการให้บริการแก่ผู้พัก

(๓) การปฐมพยาบาลเบื้องต้นและการส่งต่อผู้ป่วยไปยังสถานพยาบาลใกล้เคียง

(๔) ระบบรักษาความปลอดภัยอย่างทั่วถึงตลอดยี่สิบสี่ชั่วโมง

ข้อ ๕ โรงแรมต้องจัดให้มีห้องน้ำและห้องส้วมในส่วนที่ให้บริการสาธารณะโดยจัดแยกส่วนสำหรับชายและหญิง และต้องรักษาความสะอาดอย่างสม่ำเสมอ

ข้อ ๖ ห้องพักต้องไม่มีรูปแบบทางสถาปัตยกรรมที่มีลักษณะเหมือนหรือคล้าย หรือมุ่งหมายให้เหมือนหรือคล้ายกับศาสนสถานหรือสถานอันเป็นที่เคารพในทางศาสนา

ข้อ ๗ ห้องพักต้องมีเลขที่ประจำห้องพักกำกับไว้ทุกห้องเป็นตัวเลขอารบิกโดยให้แสดงไว้บริเวณด้านหน้าห้องพักที่สามารถมองเห็นได้อย่างชัดเจน และในกรณีที่โรงแรมใดมีหลายอาคารเลขที่ประจำห้องพักแต่ละอาคารต้องไม่ซ้ำกัน

ประตูห้องพักให้มีช่อง หรือวิธีการอื่นที่สามารถมองจากภายในสู่ภายนอกห้องพักได้ และมีกลอนหรืออุปกรณ์อื่นที่สามารถล็อกจากภายในห้องพักทุกห้อง

ข้อ ๘ สถานที่จอดรถของโรงแรมที่อยู่ติดห้องพักต้องไม่มีลักษณะมิดชิดและต้องสามารถมองเห็นรถที่จอดอยู่ได้ตลอดเวลา

ข้อ ๙ อาคารสำหรับใช้เป็นโรงแรมที่ตั้งอยู่ในท้องที่ที่มีกฎหมายว่าด้วยการควบคุมอาคารใช้บังคับ ต้องมีหลักฐานแสดงว่าได้รับอนุญาตให้ใช้อาคารเป็นโรงแรมหรือมีใบรับรองการตรวจสภาพอาคาร ตามกฎหมายว่าด้วยการควบคุมอาคาร

ข้อ ๑๐ อาคารสำหรับใช้เป็นโรงแรมที่ตั้งอยู่ในท้องที่ที่ไม่มีกฎหมายว่าด้วยการควบคุมอาคารใช้บังคับ ต้องมีใบรับรองการตรวจสอบสภาพอาคารว่ามีความมั่นคงแข็งแรงและปลอดภัย โดยผู้ซึ่งได้รับใบอนุญาตประกอบวิชาชีพวิศวกรรมควบคุมหรือผู้ซึ่งได้รับใบอนุญาตประกอบวิชาชีพสถาปัตยกรรมควบคุมตามกฎหมายว่าด้วยงานนั้น และผ่านการตรวจพิจารณาจากนายทะเบียนว่าเป็นไปตามหลักเกณฑ์และเงื่อนไขที่กำหนดในข้อ ๑๑ ข้อ ๑๒ ข้อ ๑๓ ข้อ ๑๔ ข้อ ๑๕ ข้อ ๑๖ และข้อ ๑๗

ข้อ ๑๑ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องมีการรักษาความสะอาด มีการจัดแสงสว่างอย่างเพียงพอ และมีระบบระบายน้ำ ระบบบำบัดน้ำเสีย และระบบระบายอากาศที่ถูกต้องลักษณะ

ข้อ ๑๒ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องติดตั้งเครื่องดับเพลิงตามหลักเกณฑ์ดังต่อไปนี้

(๑) อาคารที่มีลักษณะเป็นห้องแถว ตึกแถว บ้านแถว บ้านเดี่ยวหรือบ้านแฝด ที่มีความสูงไม่เกินสองชั้น ต้องติดตั้งเครื่องดับเพลิงแบบมือถือตามชนิดและขนาดที่เหมาะสมกับสภาพของอาคารและวัสดุภายใน จำนวนคูหาละ ๑ เครื่อง

(๒) อาคารอื่นนอกจากอาคารตาม (๑) ต้องติดตั้งเครื่องดับเพลิงแบบมือถือในแต่ละชั้น จำนวน ๑ เครื่อง ต่อพื้นที่อาคารไม่เกิน ๑,๐๐๐ ตารางเมตร ทุกระยะไม่เกิน ๔๕ เมตร แต่ไม่น้อยกว่าชั้นละ ๑ เครื่อง

(๓) การติดตั้งเครื่องดับเพลิง ต้องติดตั้งให้ส่วนบนสุดของตัวเครื่องสูงจากระดับพื้นอาคารไม่เกิน ๑.๕๐ เมตร และต้องติดตั้งไว้ในที่ที่สามารถมองเห็นและอ่านคำแนะนำการใช้ได้โดยสะดวก

(๔) เครื่องดับเพลิงต้องอยู่ในสภาพที่ใช้งานได้ตลอดเวลาและสามารถนำมาใช้งานได้โดยสะดวก

ข้อ ๑๓ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องติดตั้งระบบสัญญาณเตือนเพลิงไหม้ตามหลักเกณฑ์ดังต่อไปนี้

(๑) อาคารที่มีลักษณะเป็นห้องแถว ตึกแถว บ้านแถว บ้านเดี่ยวหรือบ้านแฝดที่มีความสูงไม่เกินสองชั้น ต้องมีระบบสัญญาณเตือนเพลิงไหม้ติดตั้งอยู่ในอาคารอย่างน้อย ๑ เครื่อง ทุกคูหา

(๒) อาคารตาม (๑) ที่มีความสูงเกินสองชั้น ต้องมีระบบสัญญาณเตือนเพลิงไหม้ติดตั้งอยู่ในอาคารอย่างน้อย ๑ เครื่อง ทุกชั้นและทุกคูหา

(๓) อาคารอื่นนอกจากอาคารตาม (๑) และ (๒) ที่มีพื้นที่รวมกันทุกชั้นในอาคารหลังเดียวกันเกิน ๒,๐๐๐ ตารางเมตร ต้องมีระบบสัญญาณเตือนเพลิงไหม้ทุกชั้น

ข้อ ๑๔ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องมีช่องทางเดินภายในอาคารกว้างไม่น้อยกว่า ๑.๕๐ เมตร

ข้อ ๑๕ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องมีทางหนีไฟหรือบันไดหนีไฟตามหลักเกณฑ์และเงื่อนไขที่กำหนดในกฎหมายว่าด้วยการควบคุมอาคาร

ข้อ ๑๖ อาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ที่มีพื้นที่รวมกันทุกชั้นในอาคารหลังเดียวกันเกิน ๒,๐๐๐ ตารางเมตร ภายในอาคารต้องจัดให้มีระบบจ่ายพลังงานไฟฟ้าสำรองสำหรับกรณีฉุกเฉิน เช่น แบตเตอรี่ หรือเครื่องกำเนิดไฟฟ้า แยกเป็นอิสระจากระบบที่ใช้อยู่ตามปกติ และสามารถทำงานได้โดยอัตโนมัติเมื่อระบบจ่ายพลังงานไฟฟ้าปกติหยุดทำงาน

ระบบจ่ายพลังงานไฟฟ้าสำรองตามวรรคหนึ่ง ต้องสามารถจ่ายพลังงานไฟฟ้าได้เพียงพอสำหรับเครื่องหมายแสดงทางออกฉุกเฉิน ทางเดิน ห้องโถง บันได บันไดหนีไฟ และระบบสัญญาณเตือนเพลิงไหม้เป็นเวลาไม่น้อยกว่าสองชั่วโมง

ข้อ ๑๗ บ่อเกรอะและบ่อซึมของส้วมของอาคารสำหรับใช้เป็นโรงแรมตามข้อ ๑๐ ต้องอยู่ห่างจากแม่น้ำ คู คลอง หรือแหล่งน้ำสาธารณะไม่น้อยกว่า ๑๐ เมตร เว้นแต่กรณีที่มีระบบกำจัดสิ่งปฏิกูลที่ถูกต้องตามหลักสุขาภิบาลและมีขนาดที่เหมาะสม

หมวด ๓

หลักเกณฑ์และเงื่อนไขสำหรับโรงแรมแต่ละประเภท

ข้อ ๑๘ โรงแรมประเภท ๑ ต้องปฏิบัติตามหลักเกณฑ์และเงื่อนไข ดังต่อไปนี้

(๑) มีห้องพักไม่เกิน ๕๐ ห้อง

(๒) ห้องพักทุกห้องต้องมีพื้นที่ใช้สอยไม่น้อยกว่า ๘ ตารางเมตร ไม่รวมห้องน้ำ ห้องส้วม และระเบียงห้องพัก

(๓) มีห้องน้ำและห้องส้วมที่ถูกลักษณะอย่างเพียงพอสำหรับผู้พัก

ข้อ ๑๙ โรงแรมประเภท ๒ ต้องปฏิบัติตามหลักเกณฑ์และเงื่อนไข ดังต่อไปนี้

(๑) ห้องพักทุกห้องต้องมีพื้นที่ใช้สอยไม่น้อยกว่า ๘ ตารางเมตร ไม่รวมห้องน้ำ ห้องส้วม และระเบียงห้องพัก

(๒) มีห้องน้ำและห้องส้วมที่ถูกลักษณะอย่างเพียงพอสำหรับผู้พัก

ข้อ ๒๐ โรงแรมประเภท ๓ และประเภท ๔ ต้องปฏิบัติตามหลักเกณฑ์และเงื่อนไข ดังต่อไปนี้

(๑) ห้องพักทุกห้องต้องมีพื้นที่ใช้สอยไม่น้อยกว่า ๑๔ ตารางเมตร ไม่รวมห้องน้ำ ห้องส้วม และระเบียงห้องพัก

(๒) มีห้องน้ำและห้องส้วมที่ถูกลักษณะในห้องพักทุกห้อง

(๓) กรณีมีห้องพักไม่เกิน ๘๐ ห้อง ห้ามมีสถานบริการตามกฎหมายว่าด้วยสถานบริการ

ความใน (๓) มิให้นำมาใช้บังคับแก่โรงแรมที่ตั้งอยู่ในเขตพื้นที่เพื่อการอนุญาตให้ตั้งสถานบริการ และโรงแรมที่ตั้งอยู่นอกเขตพื้นที่เพื่อการอนุญาตให้ตั้งสถานบริการหรือโรงแรมที่ตั้งอยู่ในท้องที่งดอนุญาตให้ตั้งสถานบริการซึ่งมีสถานบริการตามมาตรา ๓ (๕) แห่งพระราชบัญญัติสถานบริการ พ.ศ. ๒๕๐๕ ซึ่งแก้ไขเพิ่มเติมโดยพระราชบัญญัติสถานบริการ (ฉบับที่ ๔) พ.ศ. ๒๕๔๖

บทเฉพาะกาล

ข้อ ๒๑ ความในข้อ ๓ (๔) ข้อ ๕ เว้นแต่การรักษาความสะอาดอย่างสม่ำเสมอ ข้อ ๑๔ ข้อ ๑๘ (๒) และข้อ ๑๙ (๑) มิให้นำมาใช้บังคับแก่โรงแรมประเภท ๑ และประเภท ๒ ที่ประกอบธุรกิจโรงแรมโดยได้รับใบอนุญาตอยู่ก่อนหรือในวันที่กฎกระทรวงนี้ใช้บังคับ หรือโรงแรมประเภท ๑ และประเภท ๒ ที่ประกอบธุรกิจโรงแรมโดยไม่ได้รับใบอนุญาตอยู่ก่อนหรือในวันที่กฎกระทรวงนี้ใช้บังคับ แต่ได้ยื่นคำขอรับใบอนุญาตต่อนายทะเบียนภายในหนึ่งปีนับแต่วันที่กฎกระทรวงนี้ใช้บังคับ

ข้อ ๒๒ ความในข้อ ๓ (๔) และข้อ ๒๐ (๓) มิให้นำมาใช้บังคับแก่โรงแรมประเภท ๓ และประเภท ๔ ที่ประกอบธุรกิจโรงแรมโดยได้รับใบอนุญาตอยู่ก่อนหรือในวันที่กฎกระทรวงนี้ใช้บังคับ หรือโรงแรมประเภท ๓ และประเภท ๔ ที่ประกอบธุรกิจโรงแรมโดยไม่ได้รับใบอนุญาตอยู่ก่อนหรือในวันที่กฎกระทรวงนี้ใช้บังคับ แต่ได้ยื่นคำขอรับใบอนุญาตต่อนายทะเบียนภายในหนึ่งปีนับแต่วันที่กฎกระทรวงนี้ใช้บังคับ

ให้ไว้ ณ วันที่ ๑๔ พฤษภาคม พ.ศ. ๒๕๕๑

ร้อยตำรวจเอก เฉลิม อยู่บำรุง

รัฐมนตรีว่าการกระทรวงมหาดไทย

หมายเหตุ :- เหตุผลในการประกาศใช้กฎกระทรวงฉบับนี้ คือ โดยที่ปัจจุบันการท่องเที่ยวในเชิงอนุรักษ์ได้รับความนิยมนมากขึ้น ในแต่ละท้องถิ่นมีการประกอบธุรกิจให้บริการสถานที่พักขนาดเล็กเป็นรายได้เสริมอันเป็นกิจการที่ส่งเสริมการท่องเที่ยว สร้างรายได้ให้แก่ท้องถิ่น รวมทั้งเผยแพร่และอนุรักษ์ขนบธรรมเนียมประเพณีและวัฒนธรรมท้องถิ่น ดังนั้น เพื่อประโยชน์ในการส่งเสริมการประกอบกิจการดังกล่าว สมควรกำหนดให้สถานที่พักขนาดเล็กซึ่งมีห้องพักไม่เกินสี่ห้องและมีจำนวนผู้พักไม่เกินยี่สิบคนซึ่งให้บริการเพื่อหารายได้เสริม ไม่เป็นโรงแรมตามมาตรา ๔ แห่งพระราชบัญญัติโรงแรม พ.ศ. ๒๕๔๗ และโดยที่มาตรา ๑๓ แห่งพระราชบัญญัติดังกล่าวบัญญัติให้รัฐมนตรีโดยคำแนะนำของคณะกรรมการส่งเสริมและกำกับธุรกิจโรงแรมมีอำนาจออกกฎกระทรวงกำหนดประเภทของโรงแรม หลักเกณฑ์และเงื่อนไขเกี่ยวกับสถานที่ตั้ง ขนาด ลักษณะ สิ่งอำนวยความสะดวก หรือมาตรฐานการประกอบธุรกิจของโรงแรม เพื่อประโยชน์ในการกำหนดและควบคุมมาตรฐานของโรงแรม ส่งเสริมการประกอบธุรกิจโรงแรม และส่งเสริมและรักษาคุณภาพสิ่งแวดล้อม ความมั่นคงแข็งแรง สุขลักษณะและความปลอดภัยของโรงแรม จึงจำเป็นต้องออกกฎกระทรวงนี้

**Ministerial Regulation on Hotel Business Categories
and Operation Criteria B.E. 2551 (2008)¹**

By virtue of Subsection (3) regarding the definition of “hotel” under Section 4, Section 5 and Section 13 of the Hotel Act B.E. 2547 (2004) containing certain provisions concerning restriction of rights and liberties of people, in respect of which Section 29 in conjunction with Section 33 and Section 43 of the Constitution of the Kingdom so permit by virtue of law, accordingly, the Minister of Interior, through the advice of the Committee on Promotion and Regulation of Hotel Business, issue Ministerial Regulation as follows:

Chapter 1

Non-hotels and hotel categories.

Clause 1 An accommodation with a maximum of four rooms in a single building or multiple buildings together, with a total number of guests not exceeding twenty individuals established for providing temporary accommodation service for travelers or any other person in exchange for compensation. Such a shelter that provides additional earnings and as reported to the Registrar as required by the Ministerial Regulation shall not be defined as “hotel” under Subsection (3) in Section 4.

1

This translation is provided by Investigation and Legal Affairs Bureau of the Department of Provincial Administration as the competent authority for information purposes only. Whilst Investigation and Legal Affairs Bureau of the Department of Provincial Administration has made effort to ensure the accuracy and correctness of the translation, the original Thai text as formally adopted and published shall in all events remain the sole authoritative text having the force of law.

Clause 2 The hotel category consists of four categories as follows:

(1) Hotel category 1 only provides room stay service.

(2) Hotel category 2 provides room stay service with a dining room or dining and cooking areas.

(3) Hotel category 3 provides room stay service, with a dining room or dining and cooking areas, and entertainment as required by law or rooms for meetings and seminars.

(4) Hotel category 4 provides room stay service, with a dining room or dining and cooking areas, entertainment as required by law and rooms to organize meetings and seminars.

Chapter 2

Criteria and Conditions for all categories of hotels.

Clause 3 The hotel location shall conform to the following criteria:

(1) Located in a safe area, without harmful conditions for health and hygiene of guests and with convenient and safe means of communication available.

(2) No traffic problems caused by the hotel's entrance and exit.

(3) Clear separation is needed between the hotel facilities and that of any other business, if any, in the same building. And the hotel operation shall not be affected.

(4) Not located within the boundaries of or close to any archeological or religions places or sites where the scenery might be affected, become insecure or face cultural or traditional problems.

Clause 4 The hotel shall provide the following services and facilities for staying guests.

(1) Registration counter.

(2) Telephone or other communication systems for both internal and external contacts to sufficiently serve the requirements of guests.

(3) First aid service with referral to a nearby hospital.

(4) twenty-four inclusive security system.

Clause 5 The hotel shall provide toilets and public restroom facilities for males and females separately, and with regular cleaning services.

Clause 6 Design of rooms shall not duplicate any religious features or composition.

Clause 7 Each room shall be identified with a specific number of Arabic figures, and the number shall be clearly visible at the front of the room. In case a hotel has several buildings, room numbers shall be properly marked to avoid repetition.

The door of each room shall have a hole or other type of design for seeing from inside of the room to outside and be fixed with a bolt or a lock for locking from the inside.

Clause 8 A parking lot next to the room shall not be hidden and any parked cars shall be visible at all times.

Clause 9 A hotel building located in a jurisdiction under the enforcement of building control laws shall hold evidence to confirm its hotel licensing or a certificate of building inspection in compliance with local building control laws.

Clause 10 A building located in an area without the law governing Building Control shall hold a certificate of building inspection for security and safety issued by a Professional holding license for controlled engineering or a Professional holding license for controlled architecture, under the concerned legal provision and approved by the Registrar in accordance with the specified criteria in clause 11 clause 12 clause 13 clause 14 clause 15 clause 16 and clause 17, respectively.

Clause 11 A hotel building mentioned in Clause 10 shall be kept clean with appropriate lighting and a drainage system for wastewater discharge, including a hygienic air ventilation system.

Clause 12 A hotel building mentioned in Clause 10 shall be equipped with fire extinguishers as defined by the following criteria.

(1) A building specifically designed as a two-storey row-house and a single or detached house of not more than two floors shall be equipped with one mobile fire extinguisher of an appropriate model and size to work for those specific building conditions and its interior materials; with one extinguisher per unit.

(2) A building of another design style than those mentioned in Subsection (1) shall be equipped with one mobile fire extinguisher for each floor and for every distance of 45 metres of not more than 1,000 square metres of floor area. But there shall be at least one fire extinguisher for each building storey.

(3) A fire extinguisher shall be set in a position with its top no higher than 1.50 metres above the floor-level and it shall be clearly visible with readable instructions to facilitate its required operation.

(4) A fire extinguisher shall always be in good working condition to facilitate the required operation.

Clause 13 A hotel building defined by Clause 10 shall be equipped with a fire alarm as specified by the following criteria.

(1) A building specifically designed as a two-storey row-house and a single or detached house shall be equipped with at least one fire alarm for each unit.

(2) A building mentioned in (1) and higher than two floors shall be equipped with internal fire alarms. There shall be at least one fire alarm on every floor and of every unit.

(3) Other buildings apart from those of (1) and (2) with a total space of 2,000 square metres for all floors shall be equipped with a fire alarm on each floor.

Clause 14 A hotel building under Clause 10 shall be designed with internal walkways of at least 1.50 metres in width.

Clause 15 A hotel building under Clause 10 shall be designed with fire exits or ladders, as prescribed under the criteria or conditions under building control laws.

Clause 16 A hotel building under Clause 10 with total floor space of over 2,000 square metres shall be equipped with a power generator in case of emergency, which functions separately from the regular system, and automatically functions to replace the disrupted regular electricity distribution system.

The reserve power distribution system mentioned in the above paragraph shall adequately provide sufficient power to light markings of emergency exits, walkways, halls, ladders, fire ladders and fire alarms so that they are visible for at least two hours.

Clause 17 the septic tank and sewage system of a hotel building under Clause 10 shall be located at a distance of at least 10 metres away from any canal, a ditch or public water source, except where there is a hygienic dirt elimination system of adequate size.

Chapter 3

Rules and Conditions for Each Category of Hotel

Clause 18 Hotel Category 1 hotels shall meet the following rules and conditions:

- (1) The hotel shall have no more than 50 rooms.
- (2) Each room shall be of at least 8 square metres of utility space, excluding the bathroom and toilet facilities, with a balcony.
- (3) Having sufficiently hygienic bathroom and toilet facilities for staying guests.

Clause 19 Hotel Category 2 must comply with the following rules and conditions:

- (1) Each room shall be of at least 8 square metres of utility space, excluding the bathroom and toilet facilities, with a balcony.
- (2) Having sufficiently hygienic bathroom and toilet facilities for staying guests.

Clause 20 Hotel Category 3 and Hotel Category 4 shall meet the following criteria.

- (1) Each room shall be of at least 14 square metres space, excluding the bathroom and toilet facilities, with a balcony.
- (2) Having a hygienic bathroom and toilet facility in each room.
- (3) A hotel of no more than 80 rooms shall not be allowed to have service places and facilities defined under the law as service places.

The prescription under Subsection (3) shall not be enforced for hotels located in a jurisdiction for establishing a service place or hotel outside of a permitted jurisdiction according to Section 3 (5) under the Service Facility Act B.E. 2509 (1966) amended by the Act (No. 4) B.E. 2546 (2003).

Transitory Provision

Clause 21 The prescription in Clause 3 (4), Clause 5 (except “with regular cleaning services”), Clause 14, Clause 18 (2) and Clause 19 (1) shall not be enforced for Hotel Category 1 and Hotel Category 2 that holds a hotel operation license prior to or on the effective date of this Ministerial Regulation, or for Hotel Category 1 and Hotel Category 2 hotels that have operated without a license prior to or on the effective date of this Ministerial Regulation with the submission of an application for a hotel operation license to the Registrar within one year of the effective date of this Ministerial Regulation.

Clause 22 The prescription in Clause 3 (4) and Clause 20 (3) shall not be enforced over Hotel Category 2 and Hotel Category 4 that hold a hotel operation license prior to or on the effective date of this Ministerial Regulation, or over Hotel Category 3 and Hotel Category 4 that operate without a license prior to or on the effective date of this Ministerial Regulations with submission of an application for hotel operation license to the Registrar within one year as of the effective date of this Ministerial Regulations.

Given on the 14th Day of May B.E. 2551

Police Captain Chalerm Yubamrung

Minister of the Interior